

DESCRIPTIVE LINK INDEX

| <u>Description</u> | <u>File</u> | <u>Models Shown</u> |
|---|--------------------------|---|
| 1. INTRODUCTION | | |
| Innovative Solutions | 1-1A | B-20-EE |
| 2. LINEAR AIR BAR | | |
| Standard Weir Gate - Air Pattern Controller | 2-A | B-20-EE, RAH-20-xx" |
| Exposed Flange | 2-S-1A | B-xx-EE |
| Wide Flange | 2-S-2A | B-xx-WFWF |
| Flush Flange | 2-S-3A | B-xx-FF |
| Hidden Flange 5/8 | 2-S-4A | B-xx-HFHF |
| Hidden Flange 3/4 | 2-S-4B | B-xx-HFHF |
| Concealed Flange | 2-S-5A | B-xx-CC |
| Perimeter Drywall | 2-S-6A1 | B-xx-HF-DW2 |
| Perimeter Drywall Exposed Flange | 2-S-6B1 | B-xx-E-DW2 |
| Stub / Exposed Flange | 2-S-7A | B-xx-STUB-E |
| Stub / Flush Flange | 2-S-7B | B-xx-STUB-F |
| Exposed / Flush Flange | 2-S-8 A | B-xx-E-F |
| Flush / Wide Flange | 2-S-8 B1 | B-xx-F-WF |
| Concealed / Exposed Flange | 2-S-9A | B-xx-C-E |
| Getty Flange-4 | 2-S-11A | B-xx-GF4 |
| 2-Slot Exposed Flange | 2-D-1A | B-xx(2)-EE |
| 2-Slot Wide Flange | 2-D-2A | B-xx(2)-WFWF |
| 2-Slot Hidden Flange 3/4 | 2-D-3B | B-xx(2)-HFHF |
| 2-Slot Flush Flange | 2-D-4A | B-xx(2)-FF |
| 2-Slot Concealed Flange | 2-D-5A | B-xx(2)-CC |
| 3-Slot Exposed Flange | 2-T-1 | B-xx(3)-EE |
| 3-Slot Wide Flange | 2-T-2 | B-xx(3)-WFWF |
| 3-Slot Hidden Flange 3/4 | 2-T-3B | B-xx(3)-HFHF |
| 3. LINEAR AIR BAR WITH JET PAIR | | |
| Jet Pair - Air Pattern Controller | 3-1 | B-20-EE-JP |
| Exposed Flange | 3-S-2 | B-xx-EE-JP |
| Wide Flange | 3-S-3 | B-xx-WFWF-JP |
| Flush Flange | 3-S-4A | B-xx-FF-JP |
| Hidden Flange 5/8 | 3-S-5A | B-xx-HFHF-JP |
| Hidden Flange 3/4 | 3-S-5B | B-xx-HFHF-JP |
| Concealed Flange | 3-S-6A | B-xx-CC-JP |
| 2-Slot Exposed Flange | 3-D-1 | B-xx(2)-EE-JP |
| 2-Slot Wide Flange | 3-D-2 | B-xx(2)-WFWF-JP |
| 2-Slot Hidden Flange 3/4 | 3-D-3B | B-xx(2)-HFHF-JP |
| 2-Slot Flush Flange | 3-D-4 | B-xx(2)-FF-JP |
| 3-Slot Exposed Flange | 3-T-1 | B-xx(3)-EE-JP |
| 3-Slot Wide Flange | 3-T-2 | B-xx(3)-WFWF-JP |
| 3-Slot Hidden Flange 5/8 | 3-T-3A | B-xx(3)-HFHF-JP |
| 3-Slot Hidden Flange 3/4 | 3-T-3B | B-xx(3)-HFHF-JP |
| 4. MODULAR AIR BAR | | |
| Air Bar for Standard Grid | 4-2C | B-15-EE, SAC-15-48"-8"Ø |
| Flat End Cap for Grid | 6-2B | B-20-EE FLAT END CAP, B-20 STANDARD HANGER, B-20-EE |

DESCRIPTIVE LINK INDEX

| <u>Description</u> | <u>File</u> | <u>Models Shown</u> |
|--|------------------------|---|
| 5. PLENUMS AND RETURN AIR HOODS | | |
| Supply Air Chamber (SAC) | 5-1A | SAC-20-48"-10"Ø |
| Standard Dimensions | 5-2A | SAC-xx-xx"-xx"Ø |
| 2-Slot Standard Dimensions | 5-3A | SAC-xx(2)-xx"-xx"Ø |
| Top Inlet | 5-S-5B | SAC-xx-xx"-xx"Ø TOP INLET |
| Step Top Inlet | 5-S-5C | SAC-xx-xx"-xx"Ø STEP TOP INLET |
| Return Air Hood (RAH) - Exposed Flange | 5-R-1A | RAH-20-48" |
| Return Air Hood (RAH) - Hidden Flange | 5-R-3 | RAH-20-48" |
| 6. ACCESSORIES | | |
| Flanged End Caps | 6-1A | B-20-EE FLANGED END CAP |
| Flat End Caps | 6-2A1 | B-20-HFHF FLAT END CAP |
| Mitered Ends - Exposed Flange | 6-3A | B-20-WFWF WITH MITERED ENDS |
| Mitered Ends - Hidden Flange | 6-3B | B-20-HFHF WITH MITERED ENDS |
| Mitered Corner - Hidden Flange | 6-3D | B-20-HFHF 90° MITERED CORNER |
| Wall Mounting Bracket | 6-7D-1 | B-15 PERIMETER WALL BRACKET |
| Inlet Collar Damper | 6-8A | SAC-20-48"-10"Ø WITH INLET COLLAR DAMPER |
| 7. PERFORMANCE DATA | | |
| Ceiling Plenum with Standard Weirs | 7-1 | All 1-Slot & 2-Slot Air Bar |
| Standard Weirs, 1" & 1-1/2" Slot with AF Plenum | 7-2 | B-10-xx, B-15-xx |
| Standard Weirs, 2" & 2-1/2" Slot with AF Plenum | 7-3 | B-20-xx, B-25-xx |
| Standard Weirs, 3" Slot with AF Plenum & Notes | 7-4 | B-30-xx |
| 2-Slot, 1" & 1-1/2", Standard Weirs with AF Plenum | 7-5 | B-10(2)-xx, B-15(2)-xx |
| 2-Slot, 2" & 2-1/2", Standard Weirs with AF Plenum | 7-6 | B-20(2)-xx, B-25(2)-xx |
| 2-Slot, 3", Standard Weirs with AF Plenum & Notes | 7-7 | B-30(2)-xx |
| Ceiling Plenum with Jet Pair | 7-8 | All 1-Slot & 2-Slot Air Bar |
| Jet Pair, 1" & 1-1/2" Slot with AF Plenum | 7-9 | B-10-xx-JP, B-15-xx-JP |
| Jet Pair, 1-1/2" & 2" Slot with AF Plenum | 7-10 | B-15-xx-JP, B-20-xx-JP |
| Jet Pair, 2", 2-1/2" & 3" Slot with AF Plenum & Notes | 7-11 | B-20-xx-JP, B-25-xx-JP, B-30-xx,JP |
| 2-Slot, 1" & 1-1/2", Jet Pair with AF Plenum | 7-D-12 | B-10(2)-xx-JP, B-15(2)-xx-JP |
| 2-Slot, 1-1/2" & 2", Jet Pair with AF Plenum | 7-D-13 | B-15(2)-xx-JP, B-20(2)-xx-JP |
| 2-Slot, 2", 2-1/2" & 3", Jet Pair with AF Plenum & Notes | 7-D-14 | B-20(2)-xx-JP, B-25(2)-xx-JP, B-30(2)-xx,JP |
| 8. SUBMITTAL SHEETS | | |
| Single Slot | 8-1-A | All 1-Slot Air Bar & Plenums |
| Double Slot | 8-1-B | All 2-Slot Air Bar & Plenums |
| Radial Curve - Exposed Flange with Flanged End Caps | 8-3-A | B-20-EE |
| Radial Curve - Exposed Flange with Mitered Ends | 8-4-A | B-20-EE |
| Concave Curve - Exposed Flange with Flanged End Caps | 8-7-A | B-20-EE |
| 9. INSTALLATION INSTRUCTIONS | | |
| Exposed Flange Air Bar - Drywall Opening | 9-S1-A | B-xx-EE |
| Wide Flange Air Bar - Framing Opening | 9-S2-A | B-xx-WFWF |
| Hidden Flange Air Bar - Framing Opening | 9-S3-A | B-xx-HFHF |
| Flush Flange Air Bar - Framing Opening | 9-S4-A | B-xx-FF |
| 2-Slot, Exposed Flange - Drywall Opening | 9-D1-A | B-xx(2)-EE |
| 2-Slot, Wide Flange - Framing Opening | 9-D2-A | B-xx(2)-WFWF |
| 2-Slot, Hidden Flange - Framing Opening | 9-D3-A | B-xx(2)-HFHF |
| 2-Slot, Flush Flange - Framing Opening | 9-D4-A | B-xx(2)-FF |

DESCRIPTIVE LINK INDEX

| <u>Description</u> | <u>File</u> | <u>Models Shown</u> |
|--|------------------------|---|
| Installation for Exposed Flange | 9-S1-B | DRYWALL CLIP, B-20-EE, SAC-20-xx"-xx"Ø |
| Installation for Wide Flange (ATF) | 9-S2-B | B-20 ATF TYPE-1 & -2 HANGERS, B-20-WFWF |
| Installation for Hidden Flange | 9-S3-B | B-20 SAC END ATTACHMENT BRACKET |
| Installation for 2-Slot Hidden Flange | 9-D3-B | B-20(2) SAC END ATTACHMENT BRACKET |
| Supply Air Chamber (SAC) on Radial Ceiling Curve Air Bar | 9-E6-A | n/a |
| Field Cut Air Bar | 9-E7-A | n/a |
| Perimeter Wall Bracket & Regulator | 9-E8-A | B-10 PERIMETER WALL BRACKET REGULATOR, B-10-HF-DW2, SAC-10(DW2)-48"-8"Ø |
| Supply Air Chamber (SAC) Assembly with Spring Clips | 9-S1-C | DRYWALL CLIP, SAC-20-xx"-xx"Ø, B-20-EE |
| SAC Assembly with ATF Type-2 Hangers | 9-S2-C | B-20 ATF TYPE-2 HANGER |
| ATF (After The Fact) Hanger Hardware | 9-S2-D | B-20 ATF TYPE-x HANGERS |
| Hemmed Edge Plenum & ATF Type-3 Hanger | 9-S2-E | B-20 ATF TYPE-3 HANGER, SAC-20-xx"-8"Ø HEMMED EDGE, B-20-WFWF |
| Side-Wall Weir Support Bracket | 9-S2-F | B-20 WEIR SUPPORT BRACKET, B-20-WFWF |
| 10. SMOKE CURTAIN | | |
| Exposed Flange | 10-1 | |
| Hidden Flange | 10-2 | |
| Smoke Evacuation | 10-3 | |
| Flat End Cap | 10-4 | |
| Mitered Corner | 10-5 | |
| Installation Options | 10-6 | |
| 11. INDEX | | |
| Descriptive Index | 11-D-1 | n/a |